



Black Hawk – udite u igru

Sposoban za prikazivanje Full HD rezolucije u 75Hz, 27" Black Hawk G-MASTER GB2730HSU savršen je pratilac u Vašim gejmerskim avanturama. Naoružan funkcijom Black Tuner i FreeSync tehnologijom sa zavidljivo brzim vremenom odziva od 1 ms, Black Hawk garantuje da ćete videti svaki sitni detalj čak i u senkama i moći ćete da odgovorite na promenjenu situaciju u trenutku. Postolje podesivo po visini sa funkcijom okretanja, pivota i podešavanja nagiba omogućava Vam da savršeno prilagodite položaj ekrana Vašim potrebama. Zato se udobno smestite i udite u igru!

Ako je 27" preveliko za vas, pogledajte 24.5" Black Hawk GB2530HSU-B1.

AMD FreeSync™ Tehnologija

AMD FreeSync™ tehnologija označava kraj igranju sa iseckanim frejmovima i donosi tečni gejملهj bez artefakta pri gotovo bilo kom frejmrejtju.

1ms

Brzo vreme odziva ključno je za glatko igranje. Ono smanjuje ghosting i razmazivanje slike, a korisniku pruža bogato iskustvo uz poboljšane performanse.

01 KARAKTERISTIKE EKRANA

Dijagonala	27", 68.6cm
Panel	TN LED, mat finiš
Osnovna rezolucija	1920 x 1080 @75Hz (2.1 megapixel Full HD, HDMI&DisplayPort)
Osnovna rezolucija	75Hz
Format ekrana	16:9
Osvetljenje	300 cd/m ²
Statički kontrast	1000:1
Napredni kontrast	80M:1
Vreme odziva (GTG)	1ms
Zona gledanja	horizontalno/vertikalno: 170°/160°, desno/levo: 85°/85°, gore/dole: 80°/80°
Podržane boje	16.7mln (sRGB: 99%; NTSC: 72%)
Horizontalna sinhronizacija	30 - 84KHz
Vidljiva površina Š x V	597.6 x 336.15mm, 23.5 x 13.2"
Razmak piksela	0.311mm
Boja	mat

02 KONEKTORI / KONTROLE

Ulaz signala	VGA x1 (max. 1920 x 1080 @60Hz) HDMI x1 (v.1.4, max. 1920 x 1080 @75Hz) DisplayPort x1 (v.1.2, max. 1920 x 1080 @75Hz)
USB HUB	x2 (v.2.0)
HDCP	da
Priključak za slušalice	da

03 KARAKTERISTIKE

Smanjeno emitovanje plave svetlosti	da
Bez treperenja	da
Adaptive Sync podrška	HDMI & DP: 1920 x 1080 @40-75Hz
OSD jezici	EN, DE, FR, ES, IT, CN, RU, JP, CZ, NL, PL
Kontrolni tasteri	Power, Menu/ Select, Scroll down/ Volume, Scroll up/ ECO Mode, Exit, Input
Korisničke kontrole	podešavanje slike (kontrast, osvetljenje, OverDrive, ACR, ECO, redukcija plave svetlosti, crni tuner, zasićenje boje, gama), izbor ulaza, podešavanje zvuka (jačina zvuka, isključivanje zvuka, digitalni zvuk), snimanje korisničkih postavki, podešavanje boje, ručno podešavanje slike (i-Style boja, oštrina, raspon HDMI RGB, podešavanje video režima, geometrija (automatsko podešavanje, položaj H, položaj V., sat, faza)), jezik, meni podešavanja (OSD položaj, OSD tajm out, logo pri pokretanju, FreeSync), prikaz informacija, reset
Zvučnici	2 x 2W
Pogodnost	Kensington-lock™ priprema, DDC2B, Mac OSX

04 MEHANIČKI

Podešavanje položaja prikaza	visina, okret (rotacija), okretanje, nagib
Podešavanje visine	130mm
Rotacija (PIVOT funkcija)	90°
Okretno postolje	90°; 45° levo; 45° desno
Ugao nagiba	22° gore; 5° dole

VESA montiranje	100 x 100mm
-----------------	-------------

05 UKLJUČENI DODACI

Kablovi	Strujni kabl, USB, HDMI
---------	-------------------------

Ostalo	kratko uputstvo, bezbednosni vodič
--------	------------------------------------

06 UPRAVLJANJE NAPAJANJEM

Napajanje	interna
-----------	---------

Potrošnja energije	% 1W tipično, 0.3W stand by, 0.27W iskljucen
--------------------	--

07 ODRŽIVOST

Propisi	CE, TÜV-GS, RoHS podrška, ErP, ENERGY STAR®, WEEE, CU, REACH
---------	--

Klasa energetske efikasnosti (Regulation (EU) 2017/1369)	E
--	---

REACH SVHC	iznad 0.1%: Olova
------------	-------------------

08 DIMENZIJE / TEŽINA

Dimenzije proizvoda Š x V x D	613.5 x 412 (542) x 230mm
-------------------------------	---------------------------

Težina (bez kutije)	7.3kg
---------------------	-------

EAN kod	4948570116515
---------	---------------

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED