

**UNIFIED COMMUNICATIONS****BİLGİLER****Otomatik odaklı 4K Grup  
Toplantısı/Konferans web  
kamerası**

2D ve 3D gürültü giderme teknolojilerine sahip 13MP UC CAM80UM, düşük ışık koşullarında bile olağanüstü pürüzsüzlük ve ayrıntı sunar. Entegre 2 mikrofon dizisi, sesi 4 metreye kadar uzaktan algılar. Kurulumu kolay ve 10 derecelik açı ayarıyla 360 derecelik yatay dönüşü destekleyen bu ortak alan kamerası, Zoom, Skype, Microsoft Teams ve daha fazlası gibi tüm önde gelen konferans yazılımlarını destekler.

---

### **80° field of view**

The field of view means the viewable area one can see through the camera lens. It translates directly to how much of your meeting space will be visible to the participants joining remotely. An 80° FoV is perfect for huddle spaces which usually seat two to four people.

---

### **Auto-focus & TLens®**

With the TLens® technology guaranteeing seamless transitions, your camera can quickly focus on your face, from the moment you sit in front of the lens to start the meeting.

## ÖZELLİKLER

### 01 KAMERA

|                           |                                       |
|---------------------------|---------------------------------------|
| Piksel                    | 13M                                   |
| Supported resolutions     | 2160p/30fps, 1440p/30fps, 1080p/30fps |
| Çapraz görüş alanı (dFoV) | 80°                                   |
| Odak modu                 | auto                                  |
| Diyafram                  | 2.2                                   |

### 02 SES

|                        |      |
|------------------------|------|
| Mikrofon dizisi sayısı | 2    |
| Ses alma mesafesi      | 4m   |
| Ses alma açısı         | 180° |

### 03 MEKANİK

|            |      |
|------------|------|
| Eğim açısı | ≤10° |
| Döndürme   | 360° |

### 04 ÖLÇÜLER / AĞIRLIK

|                             |                     |
|-----------------------------|---------------------|
| Ürün boyutları G x Y x D    | 117 x 53.5 x 48.5mm |
| Kutu boyutları G x Y x D    | 154 x 86 x 82mm     |
| Ağırlık (kutu hariç)        | 0.16kg              |
| Ağırlık (kutu ile birlikte) | 0.31kg              |
| EAN kodu                    | 4948570033003       |

### 05 İLGİLİ BİLGİ

İlgili ürünler [UC CAM120ULB-1](#), [UC CAM120UL-1](#), [UC CAM180UM-1](#), [UC CAM75FS-1](#), [UC SPK01M](#), [UC SPK01L](#)

UC CAM80UM(20).jpg

UC CAM80UM(10).jpg

UC CAM80UM(12).jpg

UC CAM80UM(30).jpg

All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © **IYAMA CORPORATION. ALL RIGHTS RESERVED**