

## UNIFIED COMMUNICATIONS

## INFORMATION

**Compact Full HD webcam with  
privacy shutter**

Both at home and in the office, the UC CAM75FS ensures you can enjoy all the benefits of video meetings. The integrated two microphone array detects audio from up to 4 metres away delivering high quality sound with no annoying background noise or distortion.

It supports all the leading conferencing software like Zoom, Skype, Microsoft Teams, and the simple yet effective privacy shutter guarantees the camera can only see you when you want it to.

---

## 77° field of view

The field of view means the viewable area one can see through the camera lens. It translates directly to how much of your meeting space will be visible to the participants joining remotely. A below 80 degrees field of view is a perfect choice for your desktop set-up.

---

## 2D & 3D Digital Noise Reduction

Delivering high image quality, these two image denoising technologies combined ensure crisp and clear visuals for video and photos, even in low light conditions.

---

## Clear, crisp and natural audio

Featuring an advanced noise reduction algorithm, the integrated 2-element mic array detects audio from up to 4 metres away, delivering high quality audio free from any annoying background noise or distortion.

---

## Privacy shutter

A manual switch shutter is one you can easily slide closed to ensure your camera can only see you when you want it to.

## ХАРАКТЕРИСТИКИ

### 01 КАМЕРА

Pixels	2M
Разрешение	Full HD 1080p
Supported resolutions	1080p/30fps, 720p/30fps, 576p/30fps
Diagonal field of view (dFoV)	77°
Focus mode	fixed
Focus distance	1m
Aperture	2

### 02 АУДИО

Number of microphone arrays	2
Voice pickup distance	4m
Voice pickup angle	180°

### 03 ПОДКЛЮЧЕНИЕ

Camera USB Type-C

### 04 СТАНДАРТЫ

Сертификаты CE, RoHS support, ErP, WEEE, REACH

### 05 РАЗМЕР / ВЕС

Размер продукта Ш x В x Г	80 x 69.5 x 38мм
Размер коробки Ш x В x Г	96 x 71 x 56мм
Вес (без упаковки)	0,05кг
Вес (с упаковкой)	0.1кг
EAN код	4948570032990

### 06 СОПУТСТВУЮЩАЯ ИНФОРМАЦИЯ

Сопутствующие товары [UC CAM120ULB-1](#), [UC CAM120UL-1](#), [UC CAM180UM-1](#), [UC CAM80UM-1](#), [UC SPK01M](#), [UC SPK01L](#)

UC\_CAM75FS(11).jpg

UC\_CAM75FS(20).jpg

UC\_CAM75FS(10).jpg

Все товарные знаки и торговые марки являются собственностью их владельцев и они защищены. Ошибки и изменения допускаются. Спецификации могут быть изменены без уведомления. Все LCD мониторы соответствуют стандарту ISO-9241-307:2008 по политике битых пикселей. © IIYAMA CORPORATION. ALL RIGHTS RESERVED