



## Kontrolišite igru pomoću 240Hz GB2790QSU Gold Phoenix

Gold Phoenix je vrhunski izbor monitora koji vam omogućava da premašite svoj potencijal za igranje. Opremljen najnovijim tehnologijama, uključujući FreeSync Premium, 27" Gold Phoenix ima brzinu osvežavanja od 240Hz i zadivljujuće vreme odziva MPRT od 1ms, osiguravajući da vas vaša oprema nikada neće sputavati.

Brza tehnologija IPS panela garantuje vrhunski kvalitet slike, a mogućnost podešavanja osvetljenosti i tamnih nijansi pomoću Black Tunera pruža bolje performanse gledanja u zasenčenim područjima. Da biste obezbedili udobnost tokom maratonskih sesija igara, možete lako da prilagodite položaj ekrana svojim željama zahvaljujući postolju podesivom po visini.

### 240Hz & 1ms MPRT

Tehnologija brzog IPS panela od 240Hz garantuje visoku vernost prikaza, živopisne scene bojnog polja koje se prikazuju sa izuzetnom preciznošću boja i obezbeđuje zadivljujuće vreme odziva na pokretnu sliku (MPRT) od 1 ms.

### FreeSync™ Premium Tehnologija

Ovaj monitor garantuje nisku ulaznu latenciju i nizak framerate, čime se preventiraju bilo kakvi prekidi na bilo kojem framerate-u.

## 01 KARAKTERISTIKE EKRANA

Dijagonala	27", 68.5cm
Panel	Fast IPS, mat završna obrada
Osnovna rezolucija	2560 x 1440 @240Hz (3.7 megapixel WQHD, DisplayPort)
Osnovna rezolucija	240Hz
Format ekrana	16:9
Osvetljenje	400 cd/m <sup>2</sup>
Statički kontrast	1000:1
Napredni kontrast	80M:1
Vreme odziva (MPRT)	1ms
Zona gledanja	horizontalno/vertikalno: 178°/178°, desno/levo: 89°/89°, gore/dole: 89°/89°
Podržane boje	16.7miliona 8bit
Horizontalna sinhronizacija	31 - 352KHz
Vidljiva površina Š x V	596.7 x 335.7mm, 23.5 x 13.2"
Razmak piksela	0.233mm
Boja	mat, crna

## 02 KONEKTORI / KONTROLE

Ulaz signala	HDMI x1 (v.2.0 max. 2560 x 1440 @144Hz) DisplayPort x1 (v.1.4 max. 2560 x 1440 @240Hz)
USB HUB	x2 (v.3.0 DC5V, 900mA)
HDCP	da
Priključak za slušalice	da

## 03 KARAKTERISTIKE

Smanjeno emitovanje plave svetlosti	da
Bez treperenja	da
Adaptive Sync podrška	HDMI: 2560 x 1440 @48-144Hz, DP: 2560 x 1440 @48-240Hz
HDR	HDR400
OSD jezici	EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL
Kontrolni tasteri	Uključivanje, meni/ izbor, +/ jačina zvuka, -/ i -stil, izlaz/ EKO, izbor ulaza
Korisničke kontrole	podešavanje slike (kontrast, osvetljenost, overdrive, ACR, ECO, reduktor plavog svetla, crni tjuner, zasićenost boja, MBR, AMD FreeSinc Premium), izbor ulaza, podešavanje zvuka (jačina zvuka, isključivanje zvuka), čuvanje korisničkih podešavanja, podešavanja boje (temperatura boje, 6-Akis, korisnička podešavanja, gama), podešavanje slike (i-Stile boja, X-Res tehnologija, oštra i mekana, RGB opseg, podešavanje video režima), jezik, meni za podešavanje (OSD H. pozicija, OSD V. pozicija), OSD rotacija, OSD time out, logo otvaranja, LED), prikaz informacija, resetovanje
Zvučnici	2 x 2W
Pogodnost	Kensington-lock™ priprema, DDC2B, Mac OSX

## 04 MEHANIČKI

Podešavanje položaja prikaza	visina, okret (rotacija), nagib
Podešavanje visine	130mm
Rotacija (PIVOT funkcija)	90°
Ugao nagiba	18° gore; 3° dole

VESA montiranje 100 x 100mm

Sistem upravljanja kablovima da

## 05 UKLJUČENI DODACI

Kablovi Strujni kabl, USB, HDMI, DP

Ostalo kratko uputstvo, bezbednosni vodič

## 06 UPRAVLJANJE NAPAJANJEM

Napajanje interna

Potrošnja energije % 1W tipično, 0.5W stand by, 0.5W isključen

## 07 ODRŽIVOST

Propisi CE, TÜV-Bauart, EAC, PSE, RoHS podrška, ErP, WEEE, VCCI, REACH, UKCA

Klasa energetske efikasnosti (Regulation (EU) 2017/1369) G

REACH SVHC iznad 0.1%: Olova

## 08 DIMENZIJE / TEŽINA

Dimenzije proizvoda Š x V x D 614 x 409.5 (539.5) x 256mm

Težina (bez kutije) 5.5kg

EAN kod 4948570117802

*All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.*

© IYAMA CORPORATION. ALL RIGHTS RESERVED