



Unleash your full gaming potential with the 165Hz GB3271QSU Red Eagle guaranteeing 1ms MPRT

Offering WQHD (2560x1440) screen resolution, the 32-inch GB3271QSU provides a large on-screen space for a better immersion and is thus perfect for co-op gaming. The IPS panel guarantees vivid colours and wide viewing angles supporting side by side gaming with a friend. Armed with FreeSync Premium you can make split second decisions and forget about ghosting effects or smearing issues. The ability to adjust brightness and the dark shades with the Black Tuner delivers greater viewing performance in shadowed areas



IPS TECHNOLOGY

Covering 100% of the sRGB colour range, this IPS panel provides outstanding colour accuracy and wider viewing angles guaranteeing high-fidelity, vivid battleground scenes.



FreeSync™ Premium Technology

This monitor guarantees low input latency and low framerate compensation putting an end to any tearing or stuttering issues at virtually any framerate.

01 DISPLAY CHARACTERISTICS

| | |
|----------------------|---|
| Diagonal | 31.5", 80cm |
| Panel | IPS, matte finish |
| Native resolution | 2560 x 1440 @165Hz (3.7 megapixel WQHD, DisplayPort) |
| Aspect ratio | 16:9 |
| Panel brightness | 400 cd/m ² |
| Static contrast | 1200:1 |
| Advanced contrast | 80M:1 |
| Response time (MPRT) | 1ms |
| Viewing zone | horizontal/vertical: 178°/178°, right/left: 89°/89°, up/down: 89°/89° |
| Colour support | 16.7mIn 8bit |
| Horizontal Sync | 30 - 242kHz |
| Viewable area W x H | 698.1 x 392.7mm, 27.5 x 15.5" |
| Pixel pitch | 0.272mm |
| Colour | matte, black |

02 INTERFACES / CONNECTORS / CONTROLS

| | |
|---------------------|---|
| Signal input | HDMI x2 (v.2.0, max. 2560 x 1440 @144Hz) DisplayPort x2 (v.1.2, max. 2560 x 1440 @165Hz) |
| USB HUB | x4 (v.3.2 (Gen 1, 5Gbit; DC5V, 900mA)) |
| HDCP | yes |
| Headphone connector | yes |

03 FEATURES

| | |
|-----------------------|--|
| Blue light reducer | yes |
| Flicker free | yes |
| Adaptive Sync support | FreeSync Premium - FreeSync Premium - HDMI: 2560 x 1440 @48-144Hz, DP: 2560 x 1440 @48-165Hz |
| Extra | remote control |
| OSD languages | EN, DE, FR, IT, RU, JP, CZ, NL, PL |
| Control buttons | Power, Menu, Right/ Volume, Left/ i-Style, Input/ Exit |
| User controls | picture adjust (brightness, contrast, Black Tuner, sharpness, overdrive, ACR, ECO, X-Res Technology, MBR), colour settings (warm, normal, cool, user colour, blue light reducer, gamma), input select, audio (volume, mute), i-Style colour (i-Style, save user mode), language, OSD settings (OSD H. position, OSD V. position, OSD background, OSD time out, information), setup menu (video mode adjust, HDMI RGB range, direct drive, AMD FreeSync Premium, HDR, opening logo, LED, memory recall) |
| Speakers | 2 x 3W |
| Convenience | Kensington-lock™ prepared, DDC2B, Mac OSX |

04 MECHANICAL

| | |
|------------------------------|-----------------|
| Display position adjustments | height, tilt |
| Height adjustment | 120mm |
| Tilt angle | 22° up; 3° down |
| VESA mounting | 100 x 100mm |
| Cable management system | yes |

05 ACCESSORIES INCLUDED

| | |
|----------------|---------------------------------|
| Cables | power, USB, HDMI, DP |
| Other | quick start guide, safety guide |
| Remote control | yes (batteries included) |

06 POWER MANAGEMENT

| | |
|-------------|----------------------------|
| Power usage | 45W typical, 0.5W stand by |
|-------------|----------------------------|

07 SUSTAINABILITY

| | |
|---|--|
| Regulations | CE, TÜV-Bauart, EAC, PSE, RoHS support, ErP, WEEE, VCCI, REACH, UKCA |
| Energy efficiency class (Regulation (EU) 2017/1369) | F |
| REACH SVHC | above 0.1%: Lead |

08 DIMENSIONS / WEIGHT

| | |
|------------------------------|-----------------------------|
| Product dimensions W x H x D | 714 x 454.5 (574.5) x 230mm |
| Box dimensions W x H x D | 795 x 506 x 225mm |
| Weight (without box) | 11.3kg |
| Weight (without stand) | 7.3kg |
| Weight (with box) | 14.1kg |
| EAN code | 4948570118168 |



