



**iiyama**  
professional displays

**LH SIGNAGE SERIES**  
SPECIALISED COMMERCIAL SIGNAGE DISPLAYS  
UNPARALLELED CHOICE IN ANY SPACE



## LH51 INTERACTIVE SERIES STRETCH YOUR CONTENT IN ANY DIRECTION

Our 92" and 105" UW5K displays with 21:9 panoramic view offer optimum flexibility for all environments utilising landscape and portrait orientation.

Experience a true 21:9 Panoramic Ultra-Wide view for all your content and applications with the iiyama **LH51 SERIES**. The displays show vibrant and larger than life imagery and videos using 5K resolution to make the difference.

Whether installed in mission critical control room facilities or vibrant digital signage for high end retail spaces, these iiyama large format displays come with a super sleek thin bezel design.

Designed to perform in continual, around the clock environments, the **LH51 SERIES** can be installed and utilised in landscape and portrait orientation to create the most stimulating imagery in any space.

With sizes like 92" and 105" everyone will benefit from the ultrawide experience that the **LH51 SERIES** delivers with clarity.



## LH51 SIGNAGE SERIES SPECIALISED PANORAMIC COMMERCIAL SIGNAGE



### 21:9 - ULTRA WIDE

Experience a true Panoramic view for all your content and applications.



### STANDALONE SOLUTION

Unlock all of the security and flexibility of Windows IoT with the optional OPS Slot PC.



### 5K - 11MP

Vibrant and larger than life imagery and video using 5120x2160 resolution to make the difference.



### USB-C CONNECTION

Delivers the latest in video, audio and Touch signal, all through one port and even charges your device with 100W power delivery.



### IPS PANEL

IPS stands for in-plane switching. IPS displays provide the best viewing angles and natural, highly accurate colours. Especially suited for colour-critical applications.



### FLEXIBLE ORIENTATION

The ability to position the displays in landscape or portrait orientation means you can make the most of any space and bring your messaging, advertisements, videos and safety information to your audience.



**LH60 SIGNAGE SERIES**  
**ELEVATE YOUR VISUAL MESSAGING**

Elevate your visual communication and unlock new possibilities for your business with the ideal all-in-one signage solution.

The **LH60 SERIES** are powerful business tools to elevate your marketing and communication efforts to new heights. Get total control of your messaging and advertising remotely and safely.

Featuring Android 11 OS, iiSignage<sup>2</sup> (Content Management System), Signal FailOver, and EShare functions, these screens offer a seamless user experience, making content creation, management, and sharing a breeze.

These ELED VA displays consume significantly less power compared to DLED IPS while maintaining the same level of brightness. Their versatile orientation, sleek design, and 24/7 reliability ensure seamless integration into any business environment. WiFi enabled, this series is ready for remote content delivery using your network.

With sizes from **43"**, **50"**, **55"** and **65"** everyone will benefit from the non-stop high performance and reliability that the **LH60 SERIES** delivers.



## LH60 SIGNAGE SERIES ELEVATE YOUR VISUAL MESSAGING



### ANDROID

Enjoy total flexibility for digital signage in any space. Thanks to Android OS you can easily customize the display to your needs by installing applications directly to it.



### MEDIA PLAYBACK

Playback video, information, or company messages; whatever you require, these large format displays are the ideal marketing solution. The LH60 SERIES packs powerful punch and can be displayed anywhere, anytime.



### SIGNAL FAILOVER

The FailOver feature ensures your content is always actively displayed through your choice of inputs.



### II SIGNAGE²

Take your marketing and communication efforts to the next level. The iiSignage² Content Management System (CMS) gives you total control of your messaging and advertising remotely and safely.



### ULTRA SLIM

With 50 percent depth saving over similar models, these jaw-dropping 40mm total depth displays can be installed discretely and elegantly in all areas.



### FLEXIBLE ORIENTATION

The ability to position the displays in landscape or portrait orientation means you can make the most of any space and bring your messaging, advertisements, videos and safety information to your audience.





**LH65 SIGNAGE SERIES**  
**VIVID-BRIGHT DISPLAYS**  
**FOR ILLUMINATING COMMUNICATION**

Create dynamic, show stopping content, designed to entice and captivate your audience.

The **LH65 SERIES** vivid-bright displays, boasting 800cd/m<sup>2</sup>, can be operated in landscape or portrait orientation in continual around the clock environments 24/7 without any interruption. Its versatility can be adapted to your industry's display needs.

On-board Android 11 OS means you can easily customize the display to your needs and smoothly run third party applications, including multiple CMS platforms. The on-board iiSignage<sup>2</sup> (Content Management System) gives you total control of your messaging and advertising remotely and safely.

The Signal FailOver feature ensures your content is always actively displayed through your choice of inputs for mission critical environments. The built-in (and removable) WiFi module means this series is ready for remote content delivery using your network.

With sizes from **43"**, **50"**, **55"**, **65"**, **75"** and **86"** everyone will benefit from the flexibility and clarity that the **LH65 SERIES** delivers.



## LH65 SIGNAGE SERIES VIVID-BRIGHT DISPLAYS FOR ILLUMINATING COMMUNICATION



### ANDROID

Enjoy total flexibility for digital signage in any space. Thanks to Android OS you can easily customize the display to your needs by installing applications directly to it.



### MEDIA PLAYBACK

Playback video, information, or company messages; whatever you require, these large format displays are the ideal marketing solution. The LH65 SERIES packs powerful punch and can be displayed anywhere, anytime.



### SIGNAL FAILOVER

The FailOver feature ensures your content is always actively displayed through your choice of inputs.



### II SIGNAGE<sup>2</sup>

Take your marketing and communication efforts to the next level. The iiSignage<sup>2</sup> Content Management System (CMS) gives you total control of your messaging and advertising remotely and safely.



### VIVID-BRIGHT DISPLAYS

Designed for maximum exposure, these 800cd/m<sup>2</sup> vivid-bright displays will illuminate your communication. Entice and captivate your audience with dynamic, show stopping content.



### FLEXIBLE ORIENTATION

The ability to position the displays in landscape or portrait orientation means you can make the most of any space and bring your messaging, advertisements, videos and safety information to your audience.





**LH75 SIGNAGE SERIES**  
**UNPARALLELED CHOICE**  
**IN ANY SPACE**

Choose non-stop high performance and reliability with the ideal all-in-one signage solution for mission critical environments.

The **LH75 SERIES** from iiyama can be operated in landscape or portrait orientation in continual around the clock environments 24/7 without any interruption. Its versatility can be adapted to your industry's display needs.

On-board Android 11 OS means you can easily customize the display to your needs and install applications directly to it. The on-board iiSignage<sup>2</sup> (Content Management System) gives you total control of your messaging and advertising remotely and safely.

The SDM Slot provides embedded PC option for total flexibility, security and control, while the FailOver feature ensures your content is always actively displayed through your choice of inputs. The built-in (and removable) WiFi module means this series is ready for remote content delivery using your network.

With sizes from 32", 43", 50", 55", 65", 75", 86" and 98" everyone will benefit from the non-stop high performance and reliability that the **LH75 SERIES** delivers.





## LH75 SIGNAGE SERIES UNPARALLELED CHOICE IN ANY SPACE



### ANDROID

Enjoy total flexibility for digital signage in any space. Thanks to Android OS you can easily customize the display to your needs by installing applications directly to it.



### MEDIA PLAYBACK

Playback video, information, or company messages; whatever you require, these large format displays are the ideal marketing solution. The LH75 SERIES packs powerful punch and can be displayed anywhere, anytime.



### SIGNAL FAILOVER

The FailOver feature ensures your content is always actively displayed through your choice of inputs.



### II SIGNAGE<sup>2</sup>

Take your marketing and communication efforts to the next level. The iiSignage<sup>2</sup> Content Management System (CMS) gives you total control of your messaging and advertising remotely and safely.



### SMART DISPLAY MODULE (SDM)

Insert a Smart Display Module into the most stylish, ultra-slim displays and this small sized plug-in module will deliver great performance with minimum implementation and management.



### FLEXIBLE ORIENTATION

The ability to position the displays in landscape or portrait orientation means you can make the most of any space and bring your messaging, advertisements, videos and safety information to your audience.



## LH SIGNAGE SERIES SPECIFICATIONS AND ACCESSORIES



### LH51 SERIES

LH9251UWS-B1AG | LH10551UWS-B1AG



### LH60 SERIES

LH3260HS-B1AG | LH4360UHS-B1AG |  
LH5560UHS-B1AG | LH6560UHS-B1AG



### LH65 SERIES

LH4365UHSB-B1 | LH5065UHSB-B1AG |  
LH5565UHSB-B1 | LH6565UHSB-B1 |  
LH7565UHSB-B1 | LH86565UHSB-B1



### LH75 SERIES

LH3275HS-B1AG | LH4375UHS-B1AG |  
LH5075UHS-B1AG | LH5575UHS-B1AG |  
LH6575UHS-B1AG | LH7575UHS-B1AG |  
LH8675UHS-B1AG | LH9875UHS-B1AG

Prolite

| Display characteristics    |  |  |   |  |
|----------------------------|--|--|---|--|
| Diagonal                   | 92" (233.7cm)   105" (265.7cm)         | 32" (80cm)   43" (108cm)   55" (138.8cm)   65" (163.9cm) | 43" (108cm)   50" (125.7cm)   55" (138.8cm)   65" (163.9cm)   75" (189.3cm)   86" (217.4cm) | 32" (80cm)   43" (108cm)   50" (125.7cm)   55" (138.8cm)   65" (163.9cm)   75" (189.3cm)   86" (217.4cm)   98" (247.7cm)     |
| Panel type                 | IPS                                    | VA   | IPS, 50" VA   | IPS, 50" VA  |
| Anti-Glare Coating         | ✓                                      | ✓  | ×, 50" ✓  | ×, 50" ✓   |
| Native resolution          | 5120x2160 (5K UW, 21:9)                | 4K UHD (3840x2160)                                       | 4K UHD (3840x2160)  | 4K UHD (3840x2160)   |
| Haze                       | 25%                                    | 25%  | 1% 50" 25%  | 25%  |
| Panel brightness (cd/m²)   | 500                                    | 500  | 800   | 500  |
| Static contrast            | 1200:1                                 | 32", 55" 4000:1, 43", 65" 5000:1                         | 1200:1, 50" 5000:1, 86" 1400:1  | 1200:1, 50" 5000:1, 86" 1400:1   |
| Max. Operation time        | 24/7                                   | 24/7   | 24/7  | 24/7   |
| Orientation                | Landscape / Portrait                   | Landscape / Portrait                                     | Landscape / Portrait  | Landscape / Portrait   |
| Interfaces & connectors    |  |  |   |  |
| Video IN                   | HDMI (2.0), DisplayPort (1.4), USB-C   | HDMI (2.0) x3  | HDMI (2.0) x2, DisplayPort (1.2)  | HDMI (2.0) x3 ( 32" x2), DisplayPort (1.2)   |
| Video OUT                  | DisplayPort (SST)                      |  | ×   | DisplayPort ( 32" × )  |
| Audio IN                   | MiniJack                               | MiniJack   | MiniJack  | MiniJack   |
| Audio OUT                  | S/PDIF, MiniJack, Speakers 2x 10W      | MiniJack, Speakers 2x 10W                                | MiniJack, Speakers 2x 10W   | MiniJack, Speakers 2x 10W  |
| Controls                   | RJ45 (LAN), RS232 (via RJ45), USB-C x2 | RJ45 (LAN), RS232, RJ45(LAN), IR                         | RJ45 (LAN), RS232, RJ45(LAN)  | RJ45 (LAN), RS232, RJ45(LAN), IR ( 32" × )   |
| Media Playback             | ✓                                      | ✓  | ✓   | ✓  |
| Features                   |  |  |   |  |
| Integrated software        | ×                                      | Android 11 OS, iiSignage <sup>2</sup> , FailOver, EShare | Android 11 OS, iiSignage <sup>2</sup> , FailOver, EShare                                    | Android 11 OS, iiSignage <sup>2</sup> , FailOver, EShare   |
| Hardware                   | ×                                      | CPU: Quad core A53,<br>GPU: G52 MP2, RAM: 2GB, ROM: 16GB | CPU: Quad core A73+A53,<br>GPU: Mali G52 MP8, RAM: 4GB, ROM: 32GB                           | CPU: Quad core A73+A53,<br>GPU: Mali G52 MP8, RAM: 4GB, ROM: 32GB  |
| Included / optional        |  |  |   |  |
| Wifi Built-in              | ✓                                      | ✓  | ✓ Removable module  | ✓ Removable module   |
| Metal housing              | ✓                                      | 32"-43" × , 55"-65" ✓ (front)                            | ✓   | ✓  |
| Mounting brackets included | ✓                                      | ✓  | ×   | ×  |
| VESA (mm)                  | 1500 x 600                             | 32" 150x200 43" 400x300 55" 300x400<br>65" 400x400       | 43" 200x200 55"-65" 400x400<br>75"-86" 600x400  | 32"-43" 200x200 50"-65" 400x400<br>75"-86" 600x400 98" 800x600<br>32" × , 43" SDM-S, 55"-86"SDM-L,<br>98" OPC51104BC-1 (OPS) |
| Optional PC Slot           | OPC5120CC-1 (OPS, 5K Supported)        | ×  | ×   |  |

**iiSIGNAGE<sup>2</sup>**

## 4 SIMPLE STEPS TO REACH YOUR AUDIENCE

**iiSignage<sup>2</sup>**



### STEP 1 UPLOAD CONTENT



- 01.** Upload multiple types of media (Image, Video, Web Content) to your resource library
- 02.** Videos/QR codes/Web Content can be embedded into Images/Slide show of Images
- 03.** Create distinctive Content programs with the media uploaded



### STEP 2 SCHEDULE PROGRAMS



- 01.** Schedule Content based on days of the week, any date and time in advance
- 02.** Add different content programs to the schedule based on any requirement
- 03.** Individual displays can have their own schedules set with the location's specific content programs



### STEP 3 SHARE ON DISPLAY



- 01.** Each of the displays can be identified by its specific name and can be grouped together based on individual requirements
- 02.** The displays have their individual/grouped schedules for the uploaded content
- 03.** The displays can be programmed to shut down and turn on based on your schedule



### STEP 4 DAILY MANAGEMENT



- 01.** Get regular/ timed screenshots of the content running on your screens.
- 02.** Stay up to date on what programs are assigned to the screen and get real time screenshots of what is running on the display.



Watch the step by step  
**iiSignage<sup>2</sup> tutorial**



For more information visit  
**[iiyama.com/iiSignage2](http://iiyama.com/iiSignage2)**



DESKTOP



TOUCHSCREEN



(i)LFD



UC SOLUTIONS



GAMING

**iiyama**

**iiyama**  
professional displays

**G-MASTER™**  
#MONITORS4GAMERS  
by iiyama

When we say iiyama, we're proud because iiyama ultimately means over 25 million of different stories. Your stories of connecting with the world.

Based in Japan, iiyama is a leading international display solutions manufacturer enabling individuals and organizations to interact with the world around them since 1973. iiyama desktop monitors accompany people at work and at home. iiyama Large Format Displays and touchscreen solutions help businesses get their message across to their partners and clients. And the iiyama G-Master #monitors4gamers aid gamers to unlock their full gaming potential.

Contact details:

**iiyama International**

Wijkermeestraat 8  
2131 HA Hoofddorp  
The Netherlands

[info@iiyama.com](mailto:info@iiyama.com)  
[www.iiyama.com](http://www.iiyama.com)

