

Universal wall mount, up to VESA 400x400mm, max. 125kg

With the easy and quick fixation system, this wall mount guarantees safe usage in environments like schools and other public utility buildings.

01 DEVICE

Type Wall Mount

02 TECHNICAL SPECIFICATION

Max weight capacity	125kg / monitor
VESA minimum	100 x 100mm
VESA maximum	400 x 400mm

Technical drawing of the 400x100mm profile showing front, side, and end views with dimensions in mm and inches.

**Front View Dimensions:**

- Top flange width: 460mm / 18,11"
- Top flange thickness: 8,5mm / 0,33"
- Top flange angle: 45°
- Top flange hole spacing: 4x100mm / 4x3,93"
- Top flange hole diameter: 9,9mm / 0,39"
- Top flange hole angle: 45°
- Top flange hole offset: 12mm / 0,48"
- Top flange hole diameter: 100mm / 3,93"
- Top flange hole offset: 25mm / 1"
- Top flange hole diameter: 50,5mm / 1,98"



**Side View Dimensions:**

- Side flange width: 37,5mm / 1,47"

**End View Dimensions:**

- End flange width: 25mm / 1"
- End flange thickness: 50,5mm / 1,98"

Product dimensions W x H x D	460 x 440 x 37.5mm
Box dimensions W x H x D	205 x 505 x 38mm
Weight (without box)	1.8kg
Weight (with box)	2.5kg
EAN code	5902841107281

[illegible]

© IIYAMA CORPORATION. ALL RIGHTS RESERVED