





Join the pro squad with the 24" G-Master Red Eagle, built for pure speed with a 240Hz refresh rate.

Gain the competitive edge you need to unlock your full gaming potential with the 24" GB2471HS monitor with FHD (1920x1080) resolution. Featuring an ultra-fast 0.3ms MPRT and a 240Hz refresh rate, this monitor ensures smooth gameplay. Compatible with NVIDIA G-SYNC so you can make split second decisions and forget about ghosting effects or smearing issues. The ability to adjust brightness and the dark shades with the Black Tuner delivers greater viewing performance in shadowed areas and the IPS panel technology guarantees superb image quality.

Available also with fixed stand: G-Master G2471HS-B1



Fast IPS

The lightning-fast IPS panel with Full HD 1920x1080 resolution delivers ultra-smooth gameplay and vibrant, true-to-life colours with exceptional accuracy and wide viewing angles.



240Hz

With 240Hz refresh rate the force is with you! Make split second decisions and be sure the image on the screen is always sharp and smooth.



| Diagonal | 23.8", 60.5cm |
|----------------------|---|
| Panel | Fast IPS |
| Native resolution | 1920 x 1080 @240Hz (2.1 megapixel full HD, DisplayPort) |
| Aspect ratio | 16:9 |
| Panel brightness | 350 cd/m ² |
| Static contrast | 1000:1 |
| Advanced contrast | 80M:1 |
| Response time (MPRT) | 0.3ms |
| Viewing zone | horizontal/vertical: horizontal°/vertical 178°, right/left: 0°/0°, up/down: 0°/0° |
| Colour support | 16.7mln 8bit |
| Horizontal Sync | 30 - 285kHz |
| Viewable area W x H | 527 x 296.5mm, 20,7 x 11,7" |
| Pixel pitch | 0.275mm |
| Colour | matte, black |

02 INTERFACES / CONNECTORS / CONTROLS

| Signal input | HDMI x2 (v.2.0, max. 1920 x 1080 @240Hz) DisplayPort x1 (v.1.2, max. 1920 x 1080 @240Hz) |
|---------------------|---|
| HDCP | yes |
| Headphone connector | yes |



| Blue light reducer | yes |
|-----------------------|---|
| Flicker free | yes |
| Adaptive Sync support | G-SYNC - 1920 x 1080 @48-240Hz, DisplayPort Only |
| Extra | i-Style Colour |
| HDR | Yes, HDR10 Ready |
| OSD languages | EN, DE, FR, IT, PT, RU, JP, CZ, NL, PL |
| Control buttons | power switch, joystick, menu (center), up / signal select, down / shortcut, left / volume -, right / volume + |
| User controls | picture adjust (contrast, brightness, OverDrive, HDR, Adaptive Sync, night mode, blue light reducer, Motion Blur Reducer, gamma), input select (input source, automanual, DP, HDMI1, HDMI2), audio adjust (volume, mute), store user settings (user modes), colour settings (6-axis, colour temperature, user preset, black tuner), image adjust (i-Style Colour, X-Res Technology, sharpness, HDMI range, Direct Drive Mode, video mode adjust), language, OSD setup menu (OSD H. position, OSD V. position, OSD Time, Opening Logo, Power LED, DDC/ DI Control, USB charge), display information, reset (reset all) |
| Speakers | 2 x 2W |
| Convenience | Kensington-lock™ prepared, DDC/CI, DDC2B, Mac OSX |



MECHANICAL

| Display position adjustments | height, pivot (rotation), swivel, tilt |
|------------------------------|--|
| Height adjustment | 150mm |
| Rotation (PIVOT function) | 90° |
| Swivel stand | 90°; 45° left; 45° right |
| Tilt angle | 23° up; 5° down |

| VESA mounting | 100 x 100mm |
|-------------------------|-------------|
| Cable management system | yes |

05 ACCESSORIES INCLUDED

Cables power (1.8m), HDMI (1.8m), DP (1.8m)

Other quick start guide, safety guide

06 POWER MANAGEMENT

Power supply unitinternalPower supplyAC AC - 100V, 240 /V, 50Hz

Power usage 18W typical, 0.5W stand by, 0.3W off mode

07 SUSTAINABILITY

2017/1369)

RegulationsCE, TÜV-Bauart, EAC, PSE, RoHS support, ErP, WEEE, VCCI, REACH, UKCAEnergy efficiency class (Regulation (EU))E

REACH SVHC above 0.1%: Lead

08 DIMENSIONS / WEIGHT

 Product dimensions W x H x D
 540 x 378.5 (498.5) x 171mm


 Box dimensions W x H x D
 650 x 140 x 420mm

 Weight (without box)
 4.8kg

 Weight (without stand)
 3.1kg

 Weight (with box)
 7kg

 EAN code
 4948570126392



© IIYAMA CORPORATION. ALL RIGHTS RESERVED