

TOUCHSCREENS

INFORMACIJE

10,1" PCAP 10pt ekran osetljiv na dodir sa Android OS, Pover over Ethernet tehnologijom (PoE) i iiSignage²




The ProLite TW1023AS-B3P is a smart and intuitive 10.1" Touch panel PC, designed for high-traffic environments such as meeting rooms, info points, or hospitality spaces. Its 10-point PCAP touch technology ensures smooth and precise interaction. Powered by Android 13, and equipped with powerful hardware, it allows easy installation of apps directly on the device - making it a all-in-one solution. Thanks to Power over Ethernet (PoE), both power and data are delivered through a single cable, simplifying installation and reducing additional cables.

With a built-in camera, microphone and speakers, the TW1023AS-B3P delivers seamless, modern interaction in any smart space. Additionally, it integrates effortlessly with [iiSignage²](#), iiyama's Content Management System (CMS), giving you full control over your messages and advertising, in landscape portrait and face-up position. Together with the built-in 5 megapixel camera, microphone and speakers it offers limitless, interactive installation possibilities.




Povezivanje

RJ45 (LAN) konektor koji podržava Power over Ethernet tehnologiju (POE) omogućava da se sa jednim kablom obezbedi veza podataka i napajanje, što pojednostavljuje instalaciju u područjima gde bi mnogi veliki broj kablova ometao okruženje.



Android OS

Zahvaljujući Android operativnom sistemu, možete lako prilagoditi displej svojim potrebama instaliranjem aplikacija direktno na njega.



Build-in webcam, microphone and speakers

Making the screen a perfect solution for semi or fully automated reception solutions allowing businesses to track and manage visitor traffic at the front desk lobby without compromising on the safety and security of your staff, visitors and company assets.



iiSignage²

iiSignage² je naša platforma za upravljanje sadržajem digitalnog oglašavanja koja lako prikazuje i kontroliše vaš sadržaj i upravlja vašim ekranima. Sistem za upravljanje sadržajem (CMS) vam daje potpunu kontrolu nad vašim porukama i oglašavanjem bezbedno i na daljinu.

01 KARAKTERISTIKE EKRANA

Dizajn	Staklo od ivice do ivice
Dijagonala	10.1", 25.5cm
Panel	IPS
Osnovna rezolucija	1280 x 800 (1 megapixel HD)
Format ekrana	16:10
Osvetljenje	450 cd/m ²
Osvetljenje	385 cd/m ² sa dodirom
Propusnost svetla	86%
Statički kontrast	1000:1 sa dodirom
Vreme odziva (GTG)	25ms
Zona gledanja	horizontalno/vertikalno: 160°/160°, desno/levo: 80°/80°, gore/dole: 80°/80°
Podržane boje	16.7miliona 8bit
Vidljiva površina Š x V	216.6 x 135.4mm, 8.5 x 5.3"
Razmak piksela	0.1692mm
Boja okvra	crna, mat

02 TOUCH

Touch tehnologija	projektivni kapacitivni
Tačke dodira	10
Način dodira	prst, rukavica (lateks), kapacitativna olovka
Interfejs dodira	USB

03 KONEKTORI / KONTROLE

Audio ulaz	Mini konektor x1
Digitalni izlaz signala	HDMI x1 (mini HDMI, 1280x720 @60Hz)
Audio izlaz	Zvučnici 2 x 1.5W
USB portovi	x4 (1 x 3.2 Gen1 (5Gbps, DC5V, 900mA), 2 x 2.0 (DC5V, 500mA), 1 x MICRO with OTG)
RJ45 (LAN)	x1 (PoE - IEEE802.3 at/Max. 30W)
Mikrofon	x1

04 KARAKTERISTIKE

Integrirani softver	Android 13
CPU	Rockchip RK3568 Quad-core up to 2.0GHz
GPU	Mali G52
Memorija za skladištenje	32GB eMMC
Memorija	4GB LPDDR4X

WiFi	IEEE802.11a/b/g/n/ac
Bluetooth	5.2
Dodatno	automatska rotacija, veb kamera (5 megapiksela), mikrofoni, slot za SD karticu, premaz protiv otisaka prsta
Kiosk mod	da
Maksimalno neprekidno radno vreme	24/7
Debljina stakla	1.25mm
Tvrdoća stakla	6H
Zaključavanje OSD tastera	da

05 OPŠTE

Kontrolni tasteri	Power, home, brightness +, brightness -, volume +, volume -
Aplikacije	blokiranje aplikacija, upravljanje vremenom ponovnog pokretanja, upravljanje uključivanjem/isključivanjem napajanja, kalkulator, kalendar, Chrome, alarm/sat/tajmer/štoperica, upravljanje fajlovima i folderima, organizacija albuma, Gmail, Google, iiSignage ² , reprodukcija audio fajlova, Play prodavnica, sistemske postavke, snimač zvuka, reprodukcija video fajlova
Bez treperenja	da

06 MEHANIČKI

Orijentacija	pejzaž, portret, face-up
Sistem upravljanja kablovima	da

07 UKLJUČENI DODACI

Kablovi	Strujni kabl (2.5m)
Upustva	kratko uputstvo, bezbednosni vodič
Ostalo	AC adapter, zamenljivi utikači (EU/UK)
Poklopac kabla	da

08 UPRAVLJANJE NAPAJANJEM


Napajanje	eksterna
Potrošnja energije	% 1W tipično, 0.5W stand by, 0.3W isključen

09 ODRŽIVOST

Propisi	CE, EAC, RoHS podrška, ErP, WEEE, REACH, UKCA
REACH SVHC	iznad 0.1%: Olova

10 DIMENZIJE / TEŽINA

Dimenzije proizvoda Š x V x D	255 x 172 x 30.5mm
Dimenzije kutije Š x V x D	398 x 223 x 68mm
Zapremina palete	256pcs
Dimenzije palete Š x V x D	1000 x 1200 x 2150mm
Težina (bez kutije)	0.8kg
Težina (sa kutijom)	1.36kg
EAN kod	4948570126927





All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © **IYAMA CORPORATION. ALL RIGHTS RESERVED**