

## Join the pro squad with the 27" G-Master Red Eagle, delivering stunning QHD resolution and a blistering 200Hz refresh rate

Gain the competitive edge you need to unlock your full gaming potential with the 27" GB2771QSU monitor with WQHD (2560x1440) resolution. Featuring an ultra-fast 0.5ms MPRT and a 200Hz refresh rate, this monitor ensures smooth gameplay. Compatible with NVIDIA G-SYNC so you can make split second decisions and forget about ghosting effects or smearing issues. The ability to adjust brightness and the dark shades with the Black Tuner delivers greater viewing performance in shadowed areas and the IPS panel technology guarantees superb image quality.

Available also with fixed stand : [G-Master G2771HSU-B1 \(1920x1080\)](#), [G-Master G2771HS-B1 \(1920x1080\)](#) and [G-Master G2771QS-B1 \(2560x1440\)](#)



QHD 1440p

Enjoy crystal-clear QHD resolution with vibrant detail, enhanced clarity, and more workspace for gaming, creative projects, and everyday use.



200Hz

With 200Hz refresh rate the force is with you! Make split second decisions and be sure the image on the screen is always sharp and smooth.

## 01 DISPLAY CHARACTERISTICS

|                      |                                                                       |
|----------------------|-----------------------------------------------------------------------|
| Diagonal             | 27", 68.6cm                                                           |
| Panel                | Fast IPS, haze 25%                                                    |
| Native resolution    | 2560 x 1440 @200Hz (3.7 megapixel WQHD, DisplayPort)                  |
| Aspect ratio         | 16:9                                                                  |
| Panel brightness     | 350 cd/m <sup>2</sup>                                                 |
| Static contrast      | 1200:1                                                                |
| Advanced contrast    | 80M:1                                                                 |
| Response time (MPRT) | 0.5ms                                                                 |
| Viewing zone         | horizontal/vertical: 178°/178°, right/left: 89°/89°, up/down: 89°/89° |
| Colour support       | 1.07B 10bit (8bit + Hi-FRC)                                           |
| Horizontal Sync      | 30 - 320kHz                                                           |
| Viewable area W x H  | 596.7 x 335.7mm, 23.5 x 23.5"                                         |
| Pixel pitch          | 0.233mm                                                               |
| Colour               | matte, black                                                          |

## 02 INTERFACES / CONNECTORS / CONTROLS

|                     |                                                                                             |
|---------------------|---------------------------------------------------------------------------------------------|
| Signal input        | HDMI x2 (v.2.0, max. 2560 x 1440 @144Hz)<br>DisplayPort x1 (v.1.4, max. 2560 x 1440 @200Hz) |
| USB HUB             | x4 (x2 v3.2 Gen 1 (5Gbps, 4.5W, Type-A), x2 v3.2 Gen 1 (5Gbps, 5W, Type-C))                 |
| HDCP                | yes                                                                                         |
| Headphone connector | yes                                                                                         |

## 03 FEATURES

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Blue light reducer    | yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Flicker free          | yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Adaptive Sync support | G-SYNC - 2560 x 1440 @48-200Hz, DisplayPort Only                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Extra                 | i-Style Colour                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| OSD languages         | EN, DE, FR, ES, IT, PT, RU, JP, CZ, NL, PL, UA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Control buttons       | power switch, joystick, menu (center), up / signal select, down / shortcut, left / volume -, right / volume +                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| User controls         | picture adjust (contrast, brightness, OverDrive, HDR, Adaptive Sync, night mode, blue light reducer, Motion Blur Reducer, gamma), input select (input source, auto/manual, DP, HDMI1, HDMI2), audio adjust (volume, mute), store user settings (user modes), colour settings (6-axis, colour temperature, user preset, black tuner), image adjust (i-Style Colour, X-Res Technology, sharpness, HDMI range, Direct Drive Mode, video mode adjust), language, OSD setup menu (OSD H. position, OSD V. position, OSD Time, Opening Logo, Power LED, DDC/ DI Control, USB charge), display information, reset (reset all) |
| Speakers              | 2 x 2W                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Convenience           | Kensington-lock™ prepared, DDC/CI, DDC2B, Mac OSX                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## 04 MECHANICAL

|                              |                                                   |
|------------------------------|---------------------------------------------------|
| Display position adjustments | height, swivel, tilt, pivot (rotation both sides) |
| Height adjustment            | 150mm                                             |
| Rotation (PIVOT function)    | 90°                                               |
| Swivel stand                 | 90°; 45° left; 45° right                          |
| Tilt angle                   | 23° up; 5° down                                   |

|                         |             |
|-------------------------|-------------|
| VESA mounting           | 100 x 100mm |
| Cable management system | yes         |

## 05 ACCESSORIES INCLUDED

|        |                                                  |
|--------|--------------------------------------------------|
| Cables | power (1.8m), USB (1.8m), HDMI (1.8m), DP (1.8m) |
| Other  | quick start guide, safety guide                  |

## 06 POWER MANAGEMENT


|                   |                                           |
|-------------------|-------------------------------------------|
| Power supply unit | internal                                  |
| Power supply      | AC 100 - 240V, 50/60Hz                    |
| Power usage       | 21W typical, 0.5W stand by, 0.3W off mode |

## 07 SUSTAINABILITY

|                                                     |                                                                      |
|-----------------------------------------------------|----------------------------------------------------------------------|
| Regulations                                         | CE, TÜV-Bauart, EAC, PSE, RoHS support, ErP, WEEE, VCCI, REACH, UKCA |
| Energy efficiency class (Regulation (EU) 2017/1369) | E                                                                    |
| REACH SVHC                                          | above 0.1%: Lead                                                     |

## 08 DIMENSIONS / WEIGHT

|                              |                             |
|------------------------------|-----------------------------|
| Product dimensions W x H x D | 613.5 x 408.5 (554) x 213mm |
| Box dimensions W x H x D     | 690 x 140 x 465mm           |
| Weight (without box)         | 5.7kg                       |
| Weight (without stand)       | 3.9kg                       |
| Weight (with box)            | 8.2kg                       |
| EAN code                     | 4948570126514               |



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED