



Unleash your full gaming potential with the versatile 4K GB2771UHSU Red Eagle

Experience the best of both worlds with the G-MASTER Red Eagle GB2771UHSU 27" 4K IPS monitor built for versatility. Enjoy high-definition detail with 4K resolution at 144Hz for smooth and immersive single-player adventures, then switch to an ultra-responsive 288Hz refresh rate at Full HD when it's time to get competitive. With a fast 0.8ms MPRT (4K 144Hz) response time and NVIDIA G-SYNC Compatible technology, gameplay stays crisp and fluid, with no visible screen tearing artifacts or distractions.

This monitor delivers 450cd/m² brightness and vibrant colour accuracy with its IPS panel, making it a suitable monitor for gaming and content creation, it is the perfect all-rounder you need for both immersive and competitive gaming.

K dispozici také s pevným stojanem : [G-Master G2771HSU-B1 \(1920x1080\)](#), [G-Master G2771HS-B1 \(1920x1080\)](#) a [G-Master G2771QS-B1 \(2560x1440\)](#)



4K clarity for next-level immersion

Ultra HD resolution delivers crystal-clear visuals and stunning detail, bringing your games to life with incredible sharpness and realism. Whether you're exploring open worlds or battling online!

Dual Refresh Rate

Switch effortlessly between 4K at 144Hz for stunning, immersive visuals and FHD at 288Hz for ultra-fast, competitive gameplay. Whether you're exploring vast worlds or chasing every millisecond, the choice is yours.

01 CHARAKTERISTIKA OBRAZU

Design	4-side slim bezel
Úhlopříčka monitoru	27", 68.6cm
Panel	IPS
Nativní rozlišení	3840 x 2160 @144Hz
Dual mode	1920 x 1080 @288Hz
Formát obrazu	16:9
Jas	450 cd/m ²
Kontrast	1500:1
Pokročilý kontrast	100M:1
Čas reakce (MPRT)	0.8ms (min.)
Úhel sledování	horizontální/vertikální: 178°/178°, na parvo/na levo: 89°/89°, nahoru/dolů: 89°/89°
Barevná podpora	1.07B (8bit+FRC)
Horizontalfrequenz	30 - 360kHz
Arbeitsfläche H x B	596.7 x 335.7mm, 23.4 x 13.2"
Velikost bodů	0.155mm
Barva	matná, černá

02 ROZHRANÍ / KONEKTORY / OVLÁDÁNÍ

Vstupní porty	HDMI x2 (v.2.1, max. 3840 x 2160 @144Hz, 1920x1080 @288Hz) DisplayPort x1 (v.1.4 DSC, max. 3840 x 2160 @144Hz, 1920x1080 @288Hz)
USB HUB	x4 (x2 v3.2 Gen 1 (5Gbps, 4.5W, Type-A), x2 v3.2 Gen 1 (5Gbps, 5W, Type-C))
HDCP	ano
Konektor pro sluchátka	ano

03 VLASTNOSTI

Redukce modrého světla	ano
Flicker Free LED	ano
Adaptive Sync support	AMD FreeSync Premium / NVIDIA G-SYNC Compatible
Extra	i-Style Colour
HDR	HDR400
Jazyky OSD	EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL, UA
Kontrolní tlačítka	joystick, power / menu (center), up / signal select, down, left / i-Style, night mode, blue light reducer, right / volume
Nastavitelné parametry	picture adjust (contrast, brightness, overdrive, HDR, adaptive sync, adv. contrast, night mode, blue light reducer, motion blur red., gamma), input select (auto, manual / HDMI1, HDMI2, DP), audio adjust (volume, mute), store user setting (user modes), color settings (6-axis, color temperature, user preset, black tuner), image adjust (i-Style color, X-Res Technology, sharpness, HDMI range, direct drive mode, video mode adjust), language, setup menu (OSD horizontal position, OSD vertical position, OSD rotate, OSD time, opening logo, power LED, DDC/CI control, USB charge), setup menu (PIP/PBP, dual mode, DSC compression), display information, reset (reset all)
Reproduktory	2 x 2W
Výhoda	Kensington-lock™ připraven, DDC/CI

04 MECHANICKÉ ČÁSTI

Úpravy polohy	výška, swivel, náklon, Pivot (rotace na obě strany)
---------------	---

Výškově nastavitelné	150mm
Otočný (Pivot)	90°
Úhel otočení	90°; 45° na levo; 45° na parvo
Úhel náklonu	23° nahoru; 5° dolů
VESA	100 x 100mm
Systém správy kabelů	ano

05 ZAHRNUTÉ PŘÍSLUŠENSTVÍ

Kabely	napájecí (1.85m), USB (1.5m), HDMI (1.85m), DP (1.85m)
Ostatní	uživatelský manuál, instrukce bezpečnosti

06 POWER-MANAGEMENT

Napájecí zdroj:	interní
Napájení	AC 100 - 240V, 50/60Hz
Odběr energie:	26W typisch, 0.5W odpočinek, 0.3W vypnutý

07 UDRŽITELNOST

Předpisy	CE, TÜV-Bauart, EAC, PSE, RoHS support, ErP, WEEE, VCCI, REACH, UKCA
Energetická třída (Regulation (EU) 2017/1369)	F
REACH SVHC	nad 0.1% olova

08 ROZMĚRY / HMOTNOST

Rozměry výrobku Š x V x D	614.5 x 417 (567) x 213mm
Rozměry balení Š x V x D	694 x 440 x 143mm
Váha (bez balení)	5.97kg
Weight (without stand)	4kg
Váha (s balením)	9kg
EAN code	4948570127139

Všechny ochranné známky jsou registrovány a chráněny. Vyhrazené právo na změny. Veškeré ploché panely LCD splňují normu ISO-9241-307:2008 v oblasti počtu vadných pixelů.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED