

DESKTOP MONITORS

## Precision meets performance

Work with confidence on the 27" ProGraphic HB2701, a 4K UHD monitor engineered for designers, photographers, and content creators who demand uncompromising visual clarity.



Powered by IPS Black 2.0 technology, it delivers deeper contrast and richer blacks, ensuring every shadow and detail is revealed with stunning precision.

With 99% DCI-P3 coverage and [Pantone Validated](#) colour accuracy, your work translates seamlessly across print, video, and digital platforms. The AGLR anti-glare coating minimises reflections, keeping you focused whether you're in a bright studio or a dim workspace. These advanced features allow you to fully showcase your creativity and skills.

Designed for productivity, the HB2701 features a 150mm height-adjustable stand, USB-C docking, and a built-in KVM switch, giving you a clean, connected setup ready for effortless multitasking.



## See more, adjust less

IPS Black 2.0 technology enhances contrast, deepens blacks, and delivers consistent colours across a broad viewing area. You'll catch more detail in shadowed regions and reduce the need for corrections, giving you full confidence during creative work.



## Pantone Validated for reliable colour accuracy

ProGraphic monitors are **Pantone Validated** to ensure precise reproduction of Pantone Matching System colours widely used in design and print. This streamlines your workflow, minimizes revisions, and gives professionals across colour-critical fields the confidence to trust every hue.



## Precision colour across every medium

With 99% coverage of the DCI-P3 colour space, ProGraphic monitors provide the accuracy needed for any visual project. Whether it's digital content, print, or film, your work looks exactly how you intended so your audience sees what you see.



## Enhanced contrast for sharper decisions

A 3000:1 contrast ratio allows ProGraphic monitors to expose subtle shadows and delicate tonal transitions. This means you see more of your image upfront, making editing and grading decisions easier and more accurate. No detail gets overlooked.

## SPECIFIKÁCIÓ

### 01 KIJELZŐ JELLEMZŐI

|                             |                                                                        |
|-----------------------------|------------------------------------------------------------------------|
| Design                      | 4-side edge-to-edge                                                    |
| Átló                        | 27", 68.5cm                                                            |
| Panel                       | IPS Panel Technology LED, matte finish                                 |
| Natív felbontás             | 3840 x 2160 @60Hz (8.3 megapixel 4K UHD)                               |
| Képarány                    | 16:9                                                                   |
| Fényerő                     | 450 cd/m²                                                              |
| Statikus kontraszt          | 3000:1                                                                 |
| Speciális kontraszt         | 80M:1                                                                  |
| Válaszidő (GTG)             | 4ms                                                                    |
| Látótér                     | horizontális/vertikális: 178°/178°, jobb/bal: 89°/89°, fel/le: 89°/89° |
| Szín támogatás              | 1.07B 8bit (DCI-P3 99%, sRGB: 100%; NTSC: 72%)                         |
| Horizontális szinkronizálás | 30 - 140kHz                                                            |
| Látható terület Sz x M      | 596.7 x 335.7mm, 23.5 x 13.2"                                          |
| Pixel magasság              | 0.155mm                                                                |
| Szín                        | matt, fekete                                                           |

### 02 INTERFÉSZEK / CSATLAKOZÓK / VEZÉRLŐK

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Jelbemenet           | HDMI x1 (v.2.0)<br>DisplayPort x1 (v.1.2)<br>USB-C x1 (PD 96W)                        |
| Jel kimenet          | DisplayPort x1 (Daisy Chain MST max. 2560 x 1440)                                     |
| USB HUB              | x4 (3x v.3.2 Gen 1 (5Gbps, 4.5W) 1x Type C (5Gbps, 15W))                              |
| USB-C DOCK           | x1 (Power delivery 96W, LAN, DP out, (not supported on MAC) USB v.3.2 (Gen 1, 5Gbit)) |
| HDCP                 | igen                                                                                  |
| Hangszóró csatlakozó | igen                                                                                  |
| RJ45 (LAN)           | x1                                                                                    |

### 03 JELLEMZŐK

|                   |                                                                                                                                     |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| KVM switch        | igen                                                                                                                                |
| Kéfény csökkentés | igen                                                                                                                                |
| Villogásmentes    | igen                                                                                                                                |
| Extra             | Delta E <2.0, EyeComfort, Low Blue Light Panel, Eyesafe® Certified, Pantone ValidatedTM, AGLR Polarizer (anti-glare low reflective) |
| HDR               | HDR400                                                                                                                              |
| OSD nyelvek       | EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL, UA                                                                                          |
| Vezérlőgombok     | Joystick/Power: Up/Input Select, Down/Shortcut, Right/Shortcut, Left/Shortcut                                                       |

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Felhasználói vezérlők</b> | picture adjust (contrast, brightness, uniformity, ACR, Eco, OD, gamma), colour settings (HDR, 6-axis, i-Style colour, colour space, RGB range, colour temp., user preset), PiP/PbP (PiP/PbP, sub source, PiP position, PiP size, swap), OSD (H/ position, V. position, OSD time, OSD background, DDC/CI control, display information), language, recall (recall all), miscellaneous (sharpness, video mode adjust, smart power, USB charge, MST DP-out, USB-C speed, shortcut key, opening logo, power LED, Mac address, FW version), KVM (HDMI, DP, USB-C), input select (input select, DisplayPort mode), audio settings (volume, mute, audio input) |
| <b>Hangszórók</b>            | 2 x 2W                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Kényelem</b>              | Kensington-lock™ előkészítve, DDC/CI, DDC2B                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## 04 MECHANIKUS

|                                              |                                                                          |
|----------------------------------------------|--------------------------------------------------------------------------|
| <b>Kijelző helyzetének beállításai</b>       | magasság, forgatható, billenthető, forgatható (forgatás mindkét oldalra) |
| <b>Magasság beállítása</b>                   | 150mm                                                                    |
| <b>Forgatás (PIVOT funkció - portré mód)</b> | 90°                                                                      |
| <b>Forgó állvány</b>                         | 360°; 180° bal; 180° jobb                                                |
| <b>Hajlásszög</b>                            | 23° fel; 5° le                                                           |
| <b>VESA állvány</b>                          | 100 x 100mm                                                              |
| <b>Kábelkezelő rendszer</b>                  | igen                                                                     |

## 05 TARTOZÉKOKAT TARTALMAZZA

|                |                                                                      |
|----------------|----------------------------------------------------------------------|
| <b>Kábelek</b> | áramellátás (1.8m), USB (1.8m), HDMI (1.8m), DP (1.8m), USB-C (1.0m) |
| <b>Egyéb</b>   | gyors üzembe helyezési útmutató, biztonsági útmutató                 |

## 06 ENERGIAGAZDÁLKODÁS

|                          |                                                |
|--------------------------|------------------------------------------------|
| <b>Tápegység</b>         | belső                                          |
| <b>Áramellátás</b>       | AC 120 - 240V, 50/60Hz                         |
| <b>Energiafogyasztás</b> | 27W jellemző, 0.5W készenlét, 0.3W kikapcsolva |
| <b>Áramfogyasztás</b>    | 0.5W készenlét                                 |


## 07 FENNTARTHATÓSÁG

|                                                              |                                                                                                    |
|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Előírások</b>                                             | TCO Certified, CE, TÜV-GS, EAC, VCCI-B, PSE, RoHS támogatás, ErP, WEEE, HATÓTÁVOLSÁG, UKCA         |
| <b>Energiahatékonysági osztály ((EU) 2017/1369 rendelet)</b> | G                                                                                                  |
| <b>EPEAT Ezüst</b>                                           | registration varies by country, go to <a href="http://www.epeat.net">www.epeat.net</a> for details |
| <b>REACH SVHC</b>                                            | 0,1% felett: Vezet                                                                                 |

## 08 MÉRETEK / SÚLY

|                                  |                           |
|----------------------------------|---------------------------|
| <b>Termék méretei Sz x H x M</b> | 614 x 404 (544) x 224.5mm |
|----------------------------------|---------------------------|

|                                 |                   |
|---------------------------------|-------------------|
| <b>Doboz méretei Sz x H x M</b> | 688 x 463 x 138mm |
| <b>Súly (doboz nélkül)</b>      | 6.7kg             |
| <b>Súly (dobozzal)</b>          | 9.7kg             |
| <b>EAN kód</b>                  | 4948570125401     |





All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © IIYAMA CORPORATION. ALL RIGHTS RESERVED