



Level up work and play with the Red Eagle 32" 4K GB3261UHSCP

Step into the game with the G-MASTER Red Eagle GB3261UHSCP 32" 4K gaming monitor. It's a monitor that fits as easily into a workday setup as it does into a late-night gaming session, built to deliver both enhanced productivity and outstanding visuals. The Ultra HD 3840x2160 resolution panel provides a sharp, detailed image with a high 3000:1 contrast ratio, bringing games and media to life, benefiting from the VA panels deep blacks and vivid highlights. A fast 144Hz Refresh Rate and 0.6ms MPRT response time offer fluid motion and sharp detail, whilst AMD FreeSync™ Premium technology ensures smooth, tear-free gameplay with no distracting artifacts.

Seamlessly switch between devices with the built-in KVM functionality, keeping your setup efficient and organised. Connect your laptop or other devices with a single USB-C cable that carries video and audio while charging at up to 95W.



144Hz

Enjoy ultra-smooth, fluid visuals with a blazing 144Hz refresh rate - perfect for fast-paced gaming, reducing motion blur and delivering sharper, more responsive action.

4K clarity for next-level immersion

Ultra HD resolution delivers crystal-clear visuals and stunning detail, bringing your games to life with incredible sharpness and realism. Whether you're exploring open worlds or battling online!

01 KIJELZŐ JELLEMZŐI

Design	ultra slim
Átló	31.5", 80cm
Panel	VA, haze 25%
Natív felbontás	3840 x 2160 @144Hz (8.3 megapixel 4K UHD)
Képarány	16:9
Fényerő	400 cd/m ²
Statikus kontraszt	3000:1
Speciális kontraszt	80M:1
Válaszidő (MPRT)	0.6ms
Látótér	horizontális/vertikális: 178°/178°, jobb/bal: 89°/89°, fel/le: 89°/89°
Szín támogatás	1.07B 8bit+FRC
Horizontális szinkronizálás	30 - 340kHz
Látható terület Sz x M	697.3 x 392.2mm, 27.5 x 15.4"
Pixel magasság	0.182mm
Szín	matt, fekete

02 INTERFÉSZEK / CSATLAKOZÓK / VEZÉRLŐK

Jelbemenet	HDMI x2 (v.2.1, max. 3840 x 2160 @144H) DisplayPort x1 (v.1.4 max 3840 x 2160 @144Hz) USB-C x1 (PD 95W, max 3840 x 2160 @144Hz)
USB HUB	x4 (2x Type-A v.3.2 Gen 1 (5Gbps, 4.5W) 2x Type-C (5Gbps, 7.5W))
HDCP	igen
Hangszóró csatlakozó	igen

03 JELLEMZŐK

KVM switch	igen
Kékfény csökkentés	igen
Villogásmentes	igen
Adaptive Sync támogatás	FreeSync Premium, DisplayPort Only
Extra	i-Style Colour
HDR	HDR10
OSD nyelvek	EN, DE, FR, ES, IT, PT, RU, JP, CZ, NL, PL
Hangszórók	2 x 5W
Kényelem	Kensington-lock™ előkészítve, DDC/CI, DDC2B

04 MECHANIKUS

Kijelző helyzetének beállításai	magasság, forgatható, billenthető
Magasság beállítása	150mm
Forgó állvány	90°; 45° bal; 45° jobb
Hajlásszög	23° fel; 5° le
VESA állvány	100 x 100mm
Kábelkezelő rendszer	igen

05 TARTOZÉKOKAT TARTALMAZZA

Kábelek

áramellátás (1.85m), USB (1m), HDMI (1.85m), DP (1.85m)

Egyéb

gyors üzembe helyezési útmutató, biztonsági útmutató

06 ENERGIAGAZDÁLKODÁS**Tápegység**

belső

Áramellátás

AC 100 - 240V, 50/60Hz

Energiafogyasztás

48W jellemző, 0.5W készenlét, 0.3W kikapcsolva

Áramfogyasztás

0.5W készenlét

07 FENNTARTHATÓSÁG**Előírások**

CE, TÜV-Bauart, EAC, PSE, RoHS támogatás, ErP, WEEE, VCCI, HATÓTÁVOLSÁG, UKCA

Energiahatékonysági osztály ((EU) 2017/1369 rendelet)

G

REACH SVHC

0,1% felett: Vezet

08 MÉRETEK / SÚLY**Termék méretei Sz x H x M**

714 x 453 (603) x 290mm

Doboz méretei Sz x H x M

790 x 510 x 143mm

Súly (doboz nélkül)


8.6kg

Súly (dobozzal)

12.08kg

EAN kód

4948570126286



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED