



### Full HD LED monitor sa naprednim odnosom kontrasta

ProLite E2282HS-B5 je odličan monitor od 22" sa LED pozadinskim osvetljenjem i rezolucijom 1920x1080. Sadrži 80 000 000:1 napredni odnos kontrasta, koji obezbeđuje jasan i živopisan kvalitet slike kao i visok kontrast. Podrška sa trostrukim ulazom osigurava kompatibilnost sa najnovijim instaliranim grafičkim karticama i ugrađenim izlazom za notebook. E2282HS je opremljen sa dva visokokvalitetna stereo zvučnika. TCO sertifikovan, ovaj monitor je pouzdano rešenje za kućnu i kancelarijsku upotrebu.

Dostupno i sa postoljem podesivim po visini: ProLite B2282HS-B5



#### Full HD

Sa stvarnom rezolucijom 1920 x 1080p, Vaš monitor je spreman za prikaz slika visoke rezolucije. To znači da na Vaš ekran možete smestiti više informacija; npr. 60% više u odnosu na monitor od 1280 x 1024.



#### Bez treperenja + Plavo svetlo

Vrhunsko rešenje za udobnost i zdravlje Vaših očiju. Monitori bez treperenja sa funkcijom reduktora plave svetlosti značajno smanjuju naprezanje i umor uzrokovan treperenjem i emitovanjem plave svetlosti običnih monitora.

## 01 KARAKTERISTIKE EKRANA

Dijagonala	21.5", 54.7cm
Panel	TN LED, mat finiš
Osnovna rezolucija	1920 x 1080 (HDMI, 2.1 megapixel Full HD)
Format ekrana	16:9
Osvetljenje	250 cd/m <sup>2</sup>
Statički kontrast	1000:1
Napredni kontrast	80M:1
Vreme odziva (GTG)	1ms
Zona gledanja	horizontalno/vertikalno: 170°/160°, desno/levo: 85°/85°, gore/dole: 80°/80°
Podržane boje	16.7mln (sRGB: 99%; NTSC: 72%)
Horizontalna sinhronizacija	30 - 85KHz
Vidljiva površina Š x V	476.6 x 268.1mm, 18.8 x 10.6"
Razmak piksela	0.248mm
Boja	mat, crna

## 02 KONEKTORI / KONTROLE

Ulaz signala	VGA x1 (1920 x 1080 @60Hz) DVI x1 (1920 x 1080 @60Hz) HDMI x1 (1920 x 1080 @75Hz)
HDCP	da
Priključak za slušalice	da

## 03 KARAKTERISTIKE

Smanjeno emitovanje plave svetlosti	da
Bez treperenja	da
OSD jezici	EN, DE, FR, ES, IT, RU, JP, CZ, NL, PL
Zvučnici	2 x 1W
Pogodnost	Kensington-lock™ priprema, DDC/CI, DDC2B, Mac OSX

## 04 MEHANIČKI

Podešavanje položaja prikaza	nagib
Ugao nagiba	22° gore; 5° dole
VESA montiranje	100 x 100mm

## 05 UKLJUČENI DODACI

Kablovi	Strujni kabl, DVI, Audio
Ostalo	kratko uputstvo, bezbednosni vodič

## 06 UPRAVLJANJE NAPAJANJEM

Napajanje	interna
Potrošnja energije	% 1W tipično, 0.5W stand by, 0.5W isključen

## 07 ODRŽIVOST

**Propisi**

TCO Sertifikat, CE, TÜV-Bauart, EAC, RoHS podrška, ErP, ENERGY STAR®, WEEE, CU, VCCI, REACH

**Klasa energetske efikasnosti (Regulation (EU) 2017/1369)**

E

**REACH SVHC**

iznad 0.1%: Olova

**08 DIMENZIJE / TEŽINA****Dimenzije proizvoda Š x V x D**

504.5 x 383 x 187mm

**Dimenzije kutije Š x V x D**


633 x 139 x 420mm

**Težina (bez kutije)**

3.1kg

**EAN kod**

4948570117567



All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© IIYAMA CORPORATION. ALL RIGHTS RESERVED