

**UNIFIED COMMUNICATIONS****Bluetooth Speakerphone for meeting rooms**

The omnidirectional audio pickup from up to 3 meters with intelligent noise reduction and echo cancellation algorithms make the UC SPK01M the perfect choice for medium meeting rooms. Guaranteeing seamless connection via Bluetooth, a USB cable or an audio cable this elegant speaker can be paired with up to 3 devices at the same.



## Omnidirectional

The UC SPK01M supports 360-degree omnidirectional audio pickup ensuring every voice in your meeting room is transmitted to the participants joining remotely.



## High-quality voice experience

This performance speaker with intelligent noise reduction and echo cancellation algorithms guarantees crystal clear sound for your calls.



## Easy set up

Seamless connection via Bluetooth, a USB cable or an audio cable. The speaker is instantly operational after connection.



## Multiple device connectivity

Connect up to 3 devices at the same time via Bluetooth, a USB cable and an audio cable.

## SPECIFICATION

### Speaker

**Maximum sound pressure level** 85dB

**Distortion**  $\leq 1\%$

**Signal to noise ratio** 75dB

**Frequency range** 150Hz ~ 16kHz

### Microphone

**Number of microphone arrays** x3

**Voice pickup range** 3m (radius)

**Frequency range** 150Hz ~ 7.5kHz

### Connectivity & Button operations

**USB Type C** x1 (Audio In/Out, Charge 5V/2A)

**AUX** x1 (In/Out, 3.5mm)

**Bluetooth** 4.2+EDR

**Buttons** Bluetooth Speakerphone for meeting rooms

### Accessories & Battery

**Kabel USB (typ A do C)** ano

**Audio cable** ano

**Battery capacity** 7.4V/2200mAh

**Charging** wired 5V/2A

**Battery life on a single charge** 8 hours

### UDRŽITELNOST

**Předpisy** CE, RoHS support, ErP, WEEE, REACH

### ROZMĚRY / HMOTNOST

**Váha (bez balení)** 0.39kg

**EAN code** 4948570033034

### SOUVÍSEJÍCÍ INFORMACE

**Související produkty** [UC CAM120ULB-1](#), [UC CAM120UL-1](#), [UC CAM180UM-1](#), [UC CAM80UM-1](#), [UC CAM75FS-1](#), [UC SPK01L](#)



Všechny ochranné známky jsou registrovány a chráněny. Vyhrazené právo na změny. Veškeré ploché panely LCD splňují normu ISO-9241-307:2008 v oblasti počtu vadných pixelů. © IIYAMA CORPORATION. ALL RIGHTS RESERVED