

## IFP INTERACTIVE DISPLAYS

## INFORMATION

## 75" 4K UHD Google EDLA Certified IFP Interactive Display – Where Design Meets Performance

Elegance and functionality come together in the ProLite TE7515A-B1AG. This 75" 4K UHD panel not only delivers precision and performance, but also brings a premium look to modern classrooms and collaborative business environments.



With its button-free front panel (only a discreet power button), integrated pen holders, and a stylish fabric-covered bottom bezel that subtly houses high-quality front-facing speakers, the TE7515A elevates the visual experience of any room. It's more than a tool—it's part of your space. Coupled with DeepContrast-IR+ technology and Palm Rejection, it offers fluid and natural writing on the Optical Bonding LCD, eliminating parallax for an intuitive feel.


Powered by iiWare 21E with Android 14 (EDLA Certified), the display integrates effortlessly into Google environments. Features like WiFi 6, Bluetooth 5.0, NFC reader, and PIR motion sensor add a layer of connectivity, energy efficiency, and access control. With [iiControl](#) (DMS), [iiShare](#) and integrated [EShare](#) app (wireless screen sharing), the TE7515A-B1AG promotes seamless teamwork—whether you're presenting, teaching, or brainstorming.

The TE7515A-B1AG isn't just an interactive display—it's a centerpiece for connection, creativity, and collaboration, all wrapped in a refined, modern design.



## Aesthetics which Elevate Any Environment

Modern, minimal, and made to elevate any environment—this design blends seamlessly into classrooms and boardrooms alike. It's not just a display; it's a statement. Clean lines, premium finish, and a presence that enhances focus and professionalism without stealing the spotlight.



## Google EDLA Certified

Google Enterprise Device License Agreement allows Google apps, accounts, files, and collaborative tools to be easily accessed directly from the Google EDLA certified iiyama displays, offering seamless integration with the Google ecosystem and the entire Microsoft 365 suite for enhanced user experience, productivity, and collaboration in all environments, especially the education and enterprise sectors alike.



## iiWare 21E (Android 14 OS)

Empower your presentations with iiWare 21E, featuring Google EDLA, iiControl (DMS), iiShare (Wireless Presentation), WhiteBoard, Cloud Drives, iiBrowser and file manager via an intuitive and user-friendly software that allows you to effortlessly manage, customize, and access various applications with ease.



## Quick-Radial-Menu

This feature provides a quick way to operate the interactive display. Long press with five fingers to bring up the Quick Radial Menu. Users can directly select the frequently used apps in the apps menu and place them in the Quick Radial Menu.

## SPECIFIKÁCIÓ

### 01 KIJELZŐ JELLEMZŐI

|                        |                                                                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------|
| Dizájn                 | Vékony káva                                                                                               |
| Átló                   | 75", 190.5cm                                                                                              |
| Panel                  | IPS                                                                                                       |
| Touch Glass            | Anti-Glare glass with Anti-Gloss treatment, Anti-Bacterial coating, Ultra Smooth writing, Optical Bonding |
| Panel                  | IPS                                                                                                       |
| Natív felbontás        | 3840 x 2160 (8.3 megapixel 4K UHD)                                                                        |
| Képarány               | 16:9                                                                                                      |
| Fényerő                | 550 cd/m <sup>2</sup>                                                                                     |
| Fényáteresztés         | 88%                                                                                                       |
| Statikus kontraszt     | 1200:1                                                                                                    |
| Válaszidő (GTG)        | 8ms                                                                                                       |
| Látótér                | horizontális/vertikális: 178°/178°, jobb/bal: 89°/89°, fel/le: 89°/89°                                    |
| Szín támogatás         | 1.07B 10bit (8bit + Hi-FRC) (NTSC 72%)                                                                    |
| Látható terület Sz x M | 1650 x 928mm, 65 x 36.5"                                                                                  |
| Pixel magasság         | 0.430mm                                                                                                   |
| Káva színe és felülete | fekete, matt                                                                                              |

### 02 ÉRINTŐKÉPERNYŐ

|                                 |                                                                                                                                                                                                                                                                                      |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Érintőképernyős technológia     | DeepContrast-IR+                                                                                                                                                                                                                                                                     |
| Érintőpontok                    | 40, 32pt writing (HID, only with supported OS, 32pt Touch with Android)                                                                                                                                                                                                              |
| Érintés pontossága              | +/- 1mm                                                                                                                                                                                                                                                                              |
| Érintési mód                    | ceruza, újj, kesztyű (Passive pen, Opaque objects)                                                                                                                                                                                                                                   |
| Érintőképernyő interfész        | USB                                                                                                                                                                                                                                                                                  |
| Támogatott operációs rendszerek | Minden iiyama monitor Plug & Play funkcióval rendelkezik, és kompatibilis a Windows és a Linux rendszerekkel. Az érintőképernyős modellek által támogatott operációs rendszerekre vonatkozó részletes információk a letöltések részben található illesztőprogram-fájlban találhatók. |
| Tenyérérzékelés elutasítása     | igen                                                                                                                                                                                                                                                                                 |

### 03 INTERFÉSZEK / CSATLAKOZÓK / VEZÉRLŐK

|                         |                                                                                                                                                                                                                |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Digitális jelbemenet    | HDMI x2 (2.0, max. 3840x2160 @60Hz, YUV444, ARC on HDMI #1)<br>DisplayPort x1 (1.2, max. 3840x2160 @60Hz)<br>USB-C x1 (2.0, 480Mbps), 3840x2160 @60Hz (YUV444/ RGB444), DP 1.2 Alt mode, PD 100W, Data, Touch) |
| Audio bemenet           | Mini jack x1 (Microphone)                                                                                                                                                                                      |
| Monitor vezérlő bemenet | RS-232c x1 (DSUB 9pin)                                                                                                                                                                                         |

|                                |                                                                                                                                      |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Digitális jelkimenet</b>    | HDMI x1 (2.0, max. 3840x2160 @60Hz, YUV444 / RGB444)<br>USB-C x1 (2.0, 480Mbps), 3840x2160 @60Hz (YUV444/ RGB444), DP 1.2 Alt mode)  |
| <b>Audio kimenet</b>           | S/PDIF (Optikai) x1<br>Mini jack x1 (Headphone)<br>Hangszórók 2 x 20W (Front facing + 20W Subwoofer on backside)                     |
| <b>Monitor vezérlő kimenet</b> | OPS Slot x1 (Intel OPS 80pin)                                                                                                        |
| <b>HDCP</b>                    | 2.2                                                                                                                                  |
| <b>USB portok</b>              | x4 (media playback / peripherals / storage – side: 2x 3.2 (Gen 1, 5Gbit), 1x 2.0 (Android only), 1x USB-C IN 2.0 (480Mbps, 100W PD)) |
| <b>RJ45 (LAN)</b>              | x2 (Auto switch for PC & Android, 1000MB)                                                                                            |
| <b>Microphone</b>              | 8-Array (8m voice-pickup)                                                                                                            |

## 04 JELLEMZŐK

|                              |                                                                                                                                                                                                                                         |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Beépített szoftver</b>    | iiWare 21E (Android 14 OS, Android 16 Q4 2026) featuring Google EDLA, iiControl (DMS), Whiteboard, iiBrowser, Web browser, file manager, cloud drives and iiShare, plus EShare for wireless connection with Windows/iOS/Android devices |
| <b>WiFi</b>                  | igen (WiFi-6, Bluetooth 5.0)                                                                                                                                                                                                            |
| <b>Hardver</b>               | CPU: RK3576 Octa-core A72*4 + A53*4, GPU: Mali G52 MC3, RAM: 16GB, ROM: 128GB                                                                                                                                                           |
| <b>Extra</b>                 | Sensors: Ambient light, NFC Reader, PIR Motion, Pen Pick-up; Slot for optional OPS PC, Micro SD card slot, 4x Touch pen                                                                                                                 |
| <b>PiP</b>                   | igen                                                                                                                                                                                                                                    |
| <b>Max. non-stop üzemidő</b> | 24/7 (While the components are rated for 24/7 operation, we recommend usage not exceeding 18 hours per day to ensure optimal product longevity.)                                                                                        |
| <b>Média lejátszás</b>       | igen                                                                                                                                                                                                                                    |
| <b>Üveg vastagsága</b>       | 3.2mm                                                                                                                                                                                                                                   |
| <b>Üveg keménysége</b>       | 7H                                                                                                                                                                                                                                      |
| <b>Ház (káva)</b>            | fém                                                                                                                                                                                                                                     |
| <b>OSD billentyűzár</b>      | igen                                                                                                                                                                                                                                    |

## 05 ÁLTALÁNOS

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Képernyőn megjelenő nyelvek</b> | EN, DE, FR, ES, IT, RU, CZ, NL, PL, CAT, SV, FI, DA, NB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Vezérlőgombok</b>               | Power (press and hold 3-5 seconds), Home (shortcut on screen): Short press Power button                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Felhasználói vezérlők</b>       | personalization (theme, wallpaper, auto loop), display (backlight, image mode, brightness, contrast, saturation, Hue, sharpness, colour temp., eye protection mode, energy saving, HDMI range), sound (volume direct, max volume, equalizer, balance, sound mode, bass, treble), general (radial menu, side menu bar, gesture interaction, screen recorder, free annotation), device (microphone, camera (external), NFC, CEC, ambient light sensor, stylus pen pickup sensor, PIR motion sensor), input settings (source lost detection, auto source switch, auto wakeup, OPS boot with system, power on source, rename input setting), system (power status, build version), admin (menu lock, system security, meeting mode, screen share, HDMI Mode, wake On Lan), applications (network & internet, connected devices, apps, notifications, storage, sound & vibration, display, wallpaper, accessibility, security & privacy, location, safety & emergency, passwords & accounts, digital wellbeing & parental controls, Google, system, about device) |
| <b>Kérfény csökkentés</b>          | igen                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                |                                                                                               |
|----------------|-----------------------------------------------------------------------------------------------|
| Villogásmentes | igen                                                                                          |
| Plug&Play      | DDC2B                                                                                         |
| Jótállás       | 5 years (for details and eligible countries please check the Warranty section of our website) |

## 06 MECHANIKUS

|                                |                                     |
|--------------------------------|-------------------------------------|
| Tájolás                        | tájkép                              |
| Ventilátor nélküli kialakítás  | igen                                |
| VESA állvány                   | 800 x 400mm                         |
| Működési hőmérséklet tartomány | 0°C - 40°C                          |
| Tárolási hőmérséklet tartomány | - 20°C - 60°C                       |
| MTBF                           | 50.000 óra (kivéve háttérvilágítás) |

## 07 TARTOZÉKOKAT TARTALMAZZA

|             |                                                               |
|-------------|---------------------------------------------------------------|
| Kábelek     | áramellátás (EU 3m, UK 3m), USB (3m), HDMI (3m)               |
| Touch pen   | x4 (Dual function tips)                                       |
| Útmutatók   | gyors üzembe helyezési útmutató, biztonsági útmutató          |
| Egyéb       | Wall Mounting Bracket (VESA 800x400), Webcam Mounting Bracket |
| Távirányító | igen (elemeket tartalmazza)                                   |

## 08 ENERGIAGAZDÁLKODÁS

|                   |                                                 |
|-------------------|-------------------------------------------------|
| Tápegység         | belső                                           |
| Áramellátás       | AC 100 - 240V, 50/60Hz                          |
| Energiafogyasztás | 216W jellemző, 0.5W készenlét, 0.3W kikapcsolva |
| Áramfogyasztás    | 0.5W készenlét                                  |

## 09 FENNTARTHATÓSÁG

|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Előírások                                             | CB, CE, TÜV-GS, EAC, RoHS támogatás, ErP, WEEE, EPEAT, HATÓTÁVOLSÁG (RoHS)                                                                                                                                                                                                                                                                                                                                                                                                     |
| Energiahatékonysági osztály ((EU) 2017/1369 rendelet) | G                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| EPEAT                                                 | Az EPEAT egy átfogó környezeti besorolás, amely segíti a környezetbarátabb számítógépek és egyéb elektronikus berendezések azonosítását. A bronz tanúsítvány azt jelenti, hogy a monitor megfelel az összes előírt feltételnek. Az EPEAT Bronz azokban az országokban érvényes, ahol az iiyama regisztrálja a terméket. Kérjük, látogasson el a <a href="http://www.epeat.net">www.epeat.net</a> webhelyre, ahol megtudhatja az Ön országában érvényes regisztrációs státuszt. |
| REACH SVHC                                            | 0,1% felett: Vezet                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## 10 MÉRETEK / SÚLY

Termék méretei Sz x H x M 1710.2 x 1036.3 x 87.1mm

Doboz méretei Sz x H x M 1860 x 1125 x 185mm


Súly (doboz nélkül) 54.6kg

Súly (dobozzal) 67.6kg

EAN kód 4948570124855

## 11 KOMPATIBILIS TARTOZÉKOK

**Other** MD-CAR2031-B1, MD-WLIFT2031-W1, UC-CAM10PRO-1, UC CAM120ULB-1, OPC51204BC-1, WP-D003C





All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © IIYAMA CORPORATION. ALL RIGHTS RESERVED